Note: As with the midterm review, the following list of problems is longer than what will appear on the actual final. Some problems may also turn out to be more difficult than the problems you'll see on the exam. On average, however, these problems should be fairly similar in difficulty to the exam problems, and they cover most of the material that you should review.

These exercises focus more on the second half of the course.

For problems related to the first half, see the midterm review materials.

- 1. Give the definitions of (a) vector space, (b) subspace of a vector space, and (c) linear transformation between vector spaces
- 2. Let V be the set of polynomials f(x) in one variable of degree at most 3.

This means that $x^3 + x \in V$ and $x^2 - 4 \in V$ but $x^4 \notin V$.

Let D be the subset of polynomials $f(x) \in V$ with f(0) = 0.

Let E be the subset of polynomials $f(x) \in V$ with f(1) = 0.

- (a) Explain why V is a vector space.
- (b) Give a basis for V. What is $\dim V$?
- (c) Explain why D and E are subspaces of V.
- (d) Give a basis for D. What is dim D?
- (e) Find an invertible linear function $T: D \to E$.
- (f) Use the previous two parts to find a basis for E. What is dim E?
- 3. Give the definitions of (a) *eigenvector*, (b) *eigenvalue*, and (c) *diagonalizable*.
- 4. Consider the matrix

$$A = \left[\begin{array}{rrr} -2 & -4 & 2 \\ -2 & 1 & 2 \\ 4 & 2 & 5 \end{array} \right].$$

- (a) Find the eigenvalues of A. Do this without using a calculator.
- (b) Find a basis for each eigenspace of A.
- (c) Is A diagonalizable? If it is, find an invertible matrix P and a diagonal matrix D such that $A = PDP^{-1}$. Then find an exact formula for A^n for any n.
- 5. Consider the matrix

$$A = \left[\begin{array}{rrrr} 1 & 1 & 0 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{array} \right].$$

- (a) Is A invertible? Explain why or why not.
- (b) Is A diagonalizable? Explain why or why not.
- (c) Find an exact formula for A^n for any positive integer n.

- 6. Find examples of the following:
 - (a) A matrix which is not invertible or diagonalizable.
 - (b) A matrix which is symmetric but not invertible.
 - (c) A matrix which is not diagonal or invertible, but is diagonalizable.
 - (d) A 3×3 matrix which is diagonalizable but not diagonal, with only two eigenvalues.
 - (e) A 3×3 matrix with all real entries and two complex eigenvalues which are not in \mathbb{R} .
- 7. Find an invertible matrix P and a matrix C of the form $\begin{bmatrix} a & -b \\ b & a \end{bmatrix}$ such that $\begin{bmatrix} 5 & -5 \\ 1 & 1 \end{bmatrix} = PCP^{-1}.$
- 8. Consider the sequence a_n with $a_0 = 1$, $a_1 = 3$, which satisfies $a_{n+2} = a_n + a_{n+1}$ for $n \ge 0$.
 - (a) Find a matrix A such that $A\begin{bmatrix}a_{2n}\\a_{2n+1}\end{bmatrix} = \begin{bmatrix}a_{2n+2}\\a_{2n+3}\end{bmatrix}$ for all $n \ge 0$.
 - (b) Find an exact formula for the *n*th term a_n of the sequence.
 - (c) More generally, suppose $p, q \in \mathbb{R}$ are any real numbers. Find an exact formula for the arth term for the sequence h, which

Find an exact formula for the *n*th term for the sequence b_n which begins as $b_0 = p$, $b_1 = q$, and satisfies $b_{n+2} = b_n + b_{n+1}$ for $n \ge 0$.

- 9. Give definitions of $u \bullet v$ and ||v|| for vectors $u, v \in \mathbb{R}^n$. What is a *unit vector*? Define what it means for a set of vectors to be *orthogonal* and *orthonormal*.
- 10. Find an orthonormal basis for the column space of the matrix

$$A = \begin{bmatrix} 1 & 2 & 4 & 5 \\ 0 & 3 & 5 & 8 \\ 1 & -1 & -3 & -2 \end{bmatrix}.$$

Then find an orthonormal basis for $(\operatorname{Col} A)^{\perp}$.

11. Give a formula for the orthogonal projection of a vector $y \in \mathbb{R}^3$ onto the plane

$$H = \{ v \in \mathbb{R}^3 : v_1 + 2v_2 + 3v_3 = 0 \}.$$

12. Find the best approximation to z by vectors of the form $c_1v_1 + c_2v_2$ when

$$z = \begin{bmatrix} 2\\ 4\\ 0\\ -1 \end{bmatrix}, \quad v_1 = \begin{bmatrix} 2\\ 0\\ -1\\ -3 \end{bmatrix}, \quad \text{and} \quad v_2 = \begin{bmatrix} 5\\ -2\\ 4\\ 2 \end{bmatrix}.$$

13. Suppose a function $f : \mathbb{R} \to \mathbb{R}$ has the following values:

$$\begin{array}{c|cccc}
x & f(x) \\
\hline
0 & 0 \\
1 & 6 \\
2 & 5 \\
3 & 10 \\
4 & 7 \\
\end{array}$$

- (a) Find the equation of the line y = ax + b that best approximates f(x) is the sense of least-squares.
- (b) Find the equation of the parabola $y = ax^2 + bx + c$ that best approximates f(x) is the sense of least-squares.
- (c) How would you find a function of the form $g(x) = 2^{ax+b}$ that is a good approximation for f(x)?
- 14. Consider the symmetric matrix

$$A = \left[\begin{array}{rrrr} 1 & 2 & 3 \\ 2 & 4 & 5 \\ 3 & 5 & 6 \end{array} \right]$$

Find an orthogonal matrix U (that is, an invertible matrix with $U^T=U^{-1})$ and a diagonal matrix D such that

$$A = UDU^T$$
.

Choose random integers for a, b, c, d, e, f and repeat this exercise with A replaced by

$$A = \left[\begin{array}{rrr} a & b & c \\ b & d & e \\ c & e & f \end{array} \right].$$

15. Find a singular value decomposition for the matrix

$$A = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 \\ 2 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -1 \\ 0 & 0 & 0 & 3 & 0 \end{bmatrix}$$

16. Do the first problem in each section of supplementary exercises for Chapters 1-7 of the textbook.